


1	McMaster	90935A135	Phillips rounded head screw 4-40, $\frac{1}{2}$ "		64				
2	McMaster	90935A137	Phillips rounded head screw 4-40, $\frac{3}{4}$ "		4				
3	McMaster	94323A319	Nylon Thumb Screw $\frac{1}{4}$ "-20, $\frac{1}{2}$ " Long		6				
4	McMaster	8478A5	Plate Mount Retractable Spring Plunger		3				
5	McMaster	91802A192	Phillips Oval Head Screw 8-32, $\frac{3}{8}$ " Long		6				
6	McMaster	90480A009	8-32 Steel Hex Nut		6				
7	McMaster	96765A110	Steel Washer 18-8		4				
8	McMaster	9753K12	Vinyl push-on round cap		3				
9	McMaster	94812A700	Black Nylon Hex Nut $\frac{1}{4}$ " - 20		6				
10	McMaster	98381A381	Dowel Pin $\frac{1}{32}$ " Diameter, $\frac{1}{2}$ " Long		8				
11	McMaster	7130K102	Nylon Cable Tie, 3" Long, $\frac{5}{8}$ " Diameter		14				
12	uscutter	ORS6312410	Grey: Oracal - 631 Color #074 Matte		4				
13	uscutter	ORS6312410	Black: Oracal - 631 Color #070 Matte		1				
14	uscutter	ORS6312410	White: Oracal - 631 Color #010 Matte		1				
15	hitlights	L1012V-302-1 630-U	12V 16.4 ft LED Strip Lights, 384 lumens/ft, Warm White 3000K		1				
16	hitlights	PWR-12V-06 0-30-U	60 Watt DC Power Supply (UL-Listed) - 12 Volt		1				
17			6mm ABS (Acrylonitrile butadiene styrene)						
18			6mm foam board (for customizable aperture)						

Dept.	Technical reference	Created by <b>Leslie Shaw</b> 10/11/19		Approved by	
		Document type		Document status	
		Title <b>WFOV Rev. 2.8</b>		DWG No.	
		Rev.	Date of issue		Sheet <b>1/6</b>



Dept.	Technical reference	Created by Leslie Shaw	10/30/19	Approved by
		Document type	Document status	
		Title WFOV Rev. 2.8	DWG No.	
		Rev.	Date of issue	Sheet 2/6



